



US00D847084S

(12) **United States Design Patent**
Kossi et al.

(10) **Patent No.:** **US D847,084 S**

(45) **Date of Patent:** **** Apr. 30, 2019**

(54) **TIRE TREAD**

(71) Applicant: **Black Donuts Engineering Oy,**
Pirkkala (FI)

(72) Inventors: **Henri Sakari Kossi**, Nokia (FI); **Jouni Juhani Raatikainen**, Lempäälä (FI);
Mikko Tapani Väänänen, Nokia (FI)

(73) Assignee: **BLACK DONUTS ENGINEERING OY**, Pirkkala (FI)

(**) Term: **15 Years**

(21) Appl. No.: **29/649,177**

(22) Filed: **May 28, 2018**

(30) **Foreign Application Priority Data**

Nov. 28, 2017 (EM) 004524189-0001

(51) **LOC (11) CL.** **12-15**

(52) **U.S. CL.**
USPC **D12/563**

(58) **Field of Classification Search**
USPC D12/533–567
CPC B60C 11/0302; B60C 2011/0358; B60C
2011/0374; B60C 2011/0386; B60C
2011/0388

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D418,782	S	*	1/2000	Williams		D12/565
D441,696	S	*	5/2001	Fierro		D12/563
D450,293	S	*	11/2001	Williams		D12/565
D662,454	S	*	6/2012	Fontaine		D12/553
D702,627	S		4/2014	Raatikainen et al.		
D718,224	S	*	11/2014	Guichon		B60C 1/0016 D12/563

D721,322	S		1/2015	Raatikainen et al.		
D721,639	S	*	1/2015	Caron		D12/565
D731,957	S	*	6/2015	Kang		D12/565
D733,038	S		6/2015	Raatikainen et al.		
D769,800	S		8/2016	Raatikainen et al.		
D780,668	S		3/2017	Raatikainen et al.		
D783,506	S		3/2017	Kossi et al.		
D783,507	S		4/2017	Raatikainen et al.		
D786,773	S		5/2017	Raatikainen et al.		
D787,425	S		5/2017	Kossi et al.		
D790,439	S		6/2017	Raatikainen et al.		
D792,835	S		7/2017	Raatikainen et al.		
D797,653	S		9/2017	Raatikainen et al.		
D808,894	S		1/2018	Kossi et al.		
D811,990	S		3/2018	Raatikainen et al.		

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/592,478, filed Jan. 31, 2017, entitled Tire Tread, Inventors: Kossi et al.

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J. Kukella

(74) *Attorney, Agent, or Firm* — Thompson Hine LLP

(57)

CLAIM

The ornamental design for tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the design;
FIG. 2 is a front view of the design of FIG. 1;
FIG. 3 is a side view of a first side of the design of FIG. 1;
FIG. 4 is a side view of a second side of the design of FIG. 1; and,

FIG. 5 is a detail view of a portion of FIG. 1.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D812,548 S	3/2018	Raatikainen et al.	
D816,591 S	5/2018	Kossi et al.	
D817,262 S	5/2018	Raatikainen et al.	
2008/0149237 A1 *	6/2008	Cambren	B60C 1/0016 152/154.2

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/645,915, filed Apr. 30, 2018, entitled Tire Tread, Inventors: Raatikainen et al.

Design U.S. Appl. No. 29/645,917, filed Apr. 30, 2018, entitled Tire Tread, Inventors: Raatikainen et al.

Design U.S. Appl. No. 29/645,919, filed Apr. 30, 2018, entitled Tire Tread, Inventors: Raatikainen et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5